EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	15	(US-20030093680-$ or US-20030212892-$ or US-20040078571-$).did. or (US-7395435-$ or US-7024695-$ or US-6173400-$ or US-7363500-$ or US-5872917-$ or US-5751812-$).did. or (US-20050120213-$ or US-20030084170-$ or US-7191467-$ or US-20050071677-$ or US-6535980-$ or US-20030159041-$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2009/08/17 00:39
S2	3	(Ticket$5 or Token$4 or Password$2 or (Pass adj phrase$2) or (Secret adj code) or (Secret adj word) or PIN or Login$2 or Credentia$4) (Challeng $4 Respons$4) hash (((loss with connection) or termina$4 or disconnect $4) with session)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/08/17 00:41
S3	0	S2 @ad<"20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 00:42
S4	1	(Ticket$5 or Token$4 or Password$2 or (Pass adj phrase$2) or (Secret adj code) or (Secret adj word) or PIN or Login$2 or Credentia$4) (Challeng $4 Respons$4) hash (((loss with connection) or termina$4 or disconnect $4) with session) kerbros	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 00:57

S5	3	(Ticket$5 or Token$4 or Password$2 or (Pass adj phrase$2) or (Secret adj code) or (Secret adj word) or PIN or Login$2 or Credentia$4) (Challeng$4 Respons$4) hash (((loss with connection) or termina$4 or disconnect $4) with session)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/08/17 00:57
S6	0	S5 @ad< "20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 00:57
S7	2	((Ticket$5 or Token$4 or Password$2 or (Pass adj phrase$2) or (Secret adj code) or (Secret adj word) or PIN or Login$2 or Credentia$4) (Challeng$4 Respons$4) hash (((loss with connection) or termina$4 or disconnect $4) with session)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 00:58
S8	1	S7 @ad< "20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 00:58
S9	0	maximum iterative value	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 01:01
S10	33	maximum iterative	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 01:01
S11	11	S10 @ad< "20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:01

S12	2795	(maximum with iterative)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 01:02
S13	2795	(maximum with iterative)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 01:02
S14	671	(maximum with iterat$4) expir$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:03
S15	5	(maximum with iterat$4) expir$6 credential session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:03
S16	5	S15 @ad< "20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:03
S17	286	(maximum with iterat$4) expir$6 session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:04
S18	1147	"380".clas. "726".clas. "713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:09
S19	5	(maximum with iterat$4) expir$6 session (((loss with connection) or termina$4 or disconnect $4) session) credential	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:10

S20	5	S19 @ad<"20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:10
S21	0	(maximum with iterat$4) expir$6 session (((loss with connection) or termina$4 or disconnect $4) with resume) credential	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:15
S22	15	(US-20030093680-$ or US-20030212892-$ or US-20040078571-$).did. or (US-7395435-$ or US-7024695-$ or US-6173400-$ or US-7363500-$ or US-5872917-$ or US-5751812-$).did. or (US-20050120213-$ or US-20030084170-$ or US-7191467-$ or US-20050071677-$ or US-6535980-$ or US-20030159041-$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2009/08/17 01:16
S23	0	S22 (((loss with connection) or termina$4 or disconnect$4) with resume)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:16
S24	8	S22 (((loss with connection) or termina$4 or disconnect$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:16
S25	2797	credential session ((termina$4 with connection) or disconnect $4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:27
S26	26	(credential session ((termina$4 with connection) or disconnect $4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:27

S27	7	S26 @ad<"20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:27
S28	17	(US-20030093680-$ or US-20030212892-$ or US-20040078571-$ or US-20040068572-$).did. or (US-7395435-$ or US-7024695-$ or US-6173400-$ or US-7363500-$ or US-5872917-$ or US-5751812-$ or US-6973482-$).did. or (US-20050120213-$ or US-20030084170-$ or US-7191467-$ or US-20050071677-$ or US-6535980-$ or US-20030159041-$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2009/08/17 01:44
S29	0	S28 (credential same session same ((termina$4 with connection) or disconnect$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:45
S30	0	S28 (credential same ((termina$4 with connection) or disconnect $4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 01:45
S31	15	(US-20030093680-$ or US-20030212892-$ or US-20040078571-$).did. or (US-7395435-$ or US-7024695-$ or US-6173400-$ or US-7363500-$ or US-5872917-$ or US-5751812-$).did. or (US-20050120213-$ or US-20030084170-$ or US-7191467-$ or US-20050071677-$ or US-6535980-$ or US-20030159041-$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2009/08/17 02:07

S32	3	(Ticket$5 or Token$4 or Password$2 or (Pass adj phrase$2) or (Secret adj code) or (Secret adj word) or PIN or Login$2 or Credentia$4) (Challeng$4 Respons$4) hash (((loss with connection) or termina$4 or disconnect$4) with session)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/08/17 02:07
S33	0	S2 @ad< "20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S34	1	(Ticket$5 or Token$4 or Password$2 or (Pass adj phrase$2) or (Secret adj code) or (Secret adj word) or PIN or Login$2 or Credentia$4) (Challeng$4 Respons$4) hash (((loss with connection) or termina$4 or disconnect$4) with session) kerbros	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S35	3	(Ticket$5 or Token$4 or Password$2 or (Pass adj phrase$2) or (Secret adj code) or (Secret adj word) or PIN or Login$2 or Credentia$4) (Challeng$4 Respons$4) hash (((loss with connection) or termina$4 or disconnect$4) with session)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/08/17 02:07
S36	0	S5 @ad< "20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S37	2	((Ticket$5 or Token$4 or Password$2 or (Pass adj phrase$2) or (Secret adj code) or (Secret adj word) or PIN or Login$2 or Credentia$4) (Challeng$4 Respons$4) hash (((loss with connection) or termina$4 or disconnect$4) with session)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07

S38	1	S7 @ad< "20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S39	0	maximum iterative value	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 02:07
S40	33	maximum iterative	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 02:07
S41	11	S10 @ad< "20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S42	2795	(maximum with iterative)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 02:07
S43	2795	(maximum with iterative)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/17 02:07
S44	671	(maximum with iterat$4) expir$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S45	5	(maximum with iterat$4) expir$6 credential session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07

S46	5	S15 @ad<"20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S47	286	(maximum with iterat$4) expir$6 session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S48	1147	"380".clas. "726".clas. "713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S49	5	(maximum with iterat$4) expir$6 session (((loss with connection) or termina$4 or disconnect $4) session) credential	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S50	5	S19 @ad<"20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S51	0	(maximum with iterat$4) expir$6 session (((loss with connection) or termina$4 or disconnect $4) with resume) credential	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S52	15	(US-20030093680-$ or US-20030212892-$ or US-20040078571-$).did. or (US-7395435-$ or US-7024695-$ or US-6173400-$ or US-7363500-$ or US-5872917-$ or US-5751812-$).did. or (US-20050120213-$ or US-20030084170-$ or US-7191467-$ or US-20050071677-$ or US-6535980-$ or US-20030159041-$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2009/08/17 02:07

S53	0	S22 (((loss with connection) or termina$4 or disconnect$4) with resume)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S54	8	S22 (((loss with connection) or termina$4 or disconnect$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S55	2797	credential session ((termina$4 with connection) or disconnect $4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S56	26	(credential session ((termina$4 with connection) or disconnect $4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S57	7	S26 @ad< "20031224"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07
S58	17	(US-20030093680-$ or US-20030212892-$ or US-20040078571-$ or US-20040068572-$).did. or (US-7395435-$ or US-7024695-$ or US-6173400-$ or US-7363500-$ or US-5872917-$ or US-5751812-$ or US-6973482-$).did. or (US-20050120213-$ or US-20030084170-$ or US-7191467-$ or US-20050071677-$ or US-6535980-$ or US-20030159041-$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2009/08/17 02:07
S59	0	S28 (credential same session same ((termina$4 with connection) or disconnect$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 02:07

| S60 | 0 | S28 (credential same ((termina$4 with connection) or disconnect $4)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/08/17 02:07 |

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S61	334	(Ticket$5 or Token$4 or Password$2 or (Pass adj phrase$2) or (Secret adj code) or (Secret adj word) or PIN or Login$2 or Credentia$4) (Challeng$4 Respons$4) hash (((loss with connection) or termina $4 or disconnect$4) with session)	USPAT; UPAD	AND	ON	2009/08/17 00:42
S62	1	((Ticket$5 or Token$4 or Password$2 or (Pass adj phrase$2) or (Secret adj code) or (Secret adj word) or PIN or Login$2 or Credentia$4) (Challeng$4 Respons$4) hash (((loss with connection) or termina $4 or disconnect$4) with session)).clm.	USPAT; UPAD	AND	ON	2009/08/17 00:43
S63	236	S61 @ad<"20031224"	USPAT; UPAD	AND	ON	2009/08/17 00:44
S64	47	(Ticket$5 or Token$4 or Password$2 or (Pass adj phrase$2) or (Secret adj code) or (Secret adj word) or PIN or Login$2 or Credentia$4) (Challeng$4 Respons$4) hash (((loss with connection) or termina $4 or disconnect$4) with session) iterat$4 period$5	USPAT; UPAD	AND	ON	2009/08/17 00:44
S65	32	S64 @ad<"20031224"	USPAT; UPAD	AND	ON	2009/08/17 00:45

S66	0	(Ticket$5 or Token$4 or Password$2 or (Pass adj phrase$2) or (Secret adj code) or (Secret adj word) or PIN or Login$2 or Credentia$4) (Challeng$4 Respons$4) hash (((loss with connection) or termina $4 or disconnect$4) with session)	USPAT; UPAD	SAME	ON	2009/08/17 00:58
S67	1	((Ticket$5 or Token$4 or Password$2 or (Pass adj phrase$2) or (Secret adj code) or (Secret adj word) or PIN or Login$2 or Credentia$4) (Challeng$4 Respons$4) hash (((loss with connection) or termina $4 or disconnect$4) with session)).clm.	USPAT; UPAD	AND	ON	2009/08/17 00:58
S68	131	(maximum with iterat$4) expir$6 session	USPAT; UPAD	AND	ON	2009/08/17 01:05
S69	10	(maximum with iterat$4) expir$6 session (((loss with connection) or termina$4 or disconnect$4) with session)	USPAT; UPAD	AND	ON	2009/08/17 01:06
S70	8	S69 @ad< "20031224"	USPAT; UPAD	AND	ON	2009/08/17 01:06
S71	126	(maximum with iterat$4) expir$6 session (((loss with connection) or termina$4 or disconnect$4) session)	USPAT; UPAD	AND	ON	2009/08/17 01:08
S72	85	S71 @ad< "20031224"	USPAT; UPAD	AND	ON	2009/08/17 01:09
S73	1054	"380".clas. "726".clas. "713".clas.	USPAT; UPAD	AND	ON	2009/08/17 01:09
S74	1054	"380".clas. "726".clas. "713".clas.	USPAT; UPAD	AND	ON	2009/08/17 01:09
S75	0	S72 S74	USPAT; UPAD	AND	ON	2009/08/17 01:10
S76	0	(maximum with iterat$4) expir$6 session (((loss with connection) or termina$4 or disconnect$4) session) credential	USPAT; UPAD	AND	ON	2009/08/17 01:10

S77	334	(Ticket$5 or Token$4 or Password$2 or (Pass adj phrase$2) or (Secret adj code) or (Secret adj word) or PIN or Login$2 or Credentia$4) (Challeng$4 Respons$4) hash (((loss with connection) or termina $4 or disconnect$4) with session)	USPAT; UPAD	AND	ON	2009/08/17 02:07
S78	1	((Ticket$5 or Token$4 or Password$2 or (Pass adj phrase$2) or (Secret adj code) or (Secret adj word) or PIN or Login$2 or Credentia$4) (Challeng$4 Respons$4) hash (((loss with connection) or termina $4 or disconnect$4) with session)).clm.	USPAT; UPAD	AND	ON	2009/08/17 02:07
S79	236	S61 @ad< "20031224"	USPAT; UPAD	AND	ON	2009/08/17 02:07
S80	47	(Ticket$5 or Token$4 or Password$2 or (Pass adj phrase$2) or (Secret adj code) or (Secret adj word) or PIN or Login$2 or Credentia$4) (Challeng$4 Respons$4) hash (((loss with connection) or termina $4 or disconnect$4) with session) iterat$4 period$5	USPAT; UPAD	AND	ON	2009/08/17 02:07
S81	32	S64 @ad< "20031224"	USPAT; UPAD	AND	ON	2009/08/17 02:07
S82	0	(Ticket$5 or Token$4 or Password$2 or (Pass adj phrase$2) or (Secret adj code) or (Secret adj word) or PIN or Login$2 or Credentia$4) (Challeng$4 Respons$4) hash (((loss with connection) or termina $4 or disconnect$4) with session)	USPAT; UPAD	SAME	ON	2009/08/17 02:07

S83	1	((Ticket$5 or Token$4 or Password$2 or (Pass adj phrase$2) or (Secret adj code) or (Secret adj word) or PIN or Login$2 or Credentia$4) (Challeng$4 Respons$4) hash (((loss with connection) or termina $4 or disconnect$4) with session)).clm.	USPAT; UPAD	AND	ON	2009/08/17 02:07
S84	131	(maximum with iterat$4) expir$6 session	USPAT; UPAD	AND	ON	2009/08/17 02:07
S85	10	(maximum with iterat$4) expir$6 session (((loss with connection) or termina$4 or disconnect$4) with session)	USPAT; UPAD	AND	ON	2009/08/17 02:07
S86	8	S69 @ad< "20031224"	USPAT; UPAD	AND	ON	2009/08/17 02:07
S87	126	(maximum with iterat$4) expir$6 session (((loss with connection) or termina$4 or disconnect$4) session)	USPAT; UPAD	AND	ON	2009/08/17 02:07
S88	85	S71 @ad< "20031224"	USPAT; UPAD	AND	ON	2009/08/17 02:07
S89	1054	"380".clas. "726".clas. "713".clas.	USPAT; UPAD	AND	ON	2009/08/17 02:07
S90	1054	"380".clas. "726".clas. "713".clas.	USPAT; UPAD	AND	ON	2009/08/17 02:07
S91	0	S72 S74	USPAT; UPAD	AND	ON	2009/08/17 02:07
S92	0	(maximum with iterat$4) expir$6 session (((loss with connection) or termina$4 or disconnect$4) session) credential	USPAT; UPAD	AND	ON	2009/08/17 02:07

8/ 17/ 2009 2:14:30 AM
C:\ Documents and Settings\ tgergiso\ My Documents\ EAST\ Workspaces\ 10743796
\ 10743796Update.wsp